

Message

From: Miller, Amy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=40BB39F199A74C5CB3956D35D6F468DF-AMILLE06]
Sent: 12/15/2017 11:10:48 PM
To: Smith, DavidW [Smith.DavidW@epa.gov]
CC: Blake, Ellen [Blake.Ellen@epa.gov]
Subject: RE: Meeting with DOH concerning ADC drainage system

Thank you

Amy C. Miller
 Chief of Staff and Ag Liaison
 Office of Regional Administrator
 U.S. Environmental Protection Agency, Region IX
 (415) 947-4198
miller.amy@epa.gov

From: Smith, DavidW
Sent: Friday, December 15, 2017 12:20 PM
To: Miller, Amy <Miller.Amy@epa.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Ex. 5 Deliberative Process (DP)

From: Miller, Amy
Sent: Friday, December 15, 2017 10:35 AM
To: Smith, DavidW <Smith.DavidW@epa.gov>; Blake, Ellen <Blake.Ellen@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Ex. 5 Deliberative Process (DP)

Amy C. Miller
 Chief of Staff and Ag Liaison
 Office of Regional Administrator
 U.S. Environmental Protection Agency, Region IX
 (415) 947-4198
miller.amy@epa.gov

From: Smith, DavidW
Sent: Friday, December 15, 2017 10:05 AM
To: Blake, Ellen <Blake.Ellen@epa.gov>; Miller, Amy <Miller.Amy@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Ex. 5 Deliberative Process (DP)

Dave

From: Blake, Ellen
Sent: Friday, December 15, 2017 9:38 AM

To: Miller, Amy <Miller.Amy@epa.gov>
Cc: Smith, DavidW <Smith.DavidW@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Attorney Client

Do Not Release

Ex. 5 AC/DP

Ellen Blake
Office of Regional Counsel
U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
Tel: (415) 972-3496
Fax: (415) 947-3571
blake.ellen@epa.gov

The information contained in this message, including any attachments hereto, may be privileged, confidential and/or exempt from disclosure under applicable laws. It is intended for the recipient only. If you are an agency employee or consultant, please consult with the sender prior to disclosing the contents of this message to third parties. If you have received this transmission in error, please notify the sender by reply email and delete the message and any attachments.

From: Miller, Amy
Sent: Friday, December 15, 2017 7:58 AM
To: Smith, DavidW <Smith.DavidW@epa.gov>; Blake, Ellen <Blake.Ellen@epa.gov>; Garnett, Desean <Garnett.Desean@epa.gov>
Cc: Grow, Richard <Grow.Richard@epa.gov>; Reyes, Deldi <Reyes.Deldi@epa.gov>; Grisier, Mary <Grisier.Mary@epa.gov>; TenBrook, Patti <TenBrook.Patti@epa.gov>
Subject: Meeting with DOH concerning ADC drainage system

David and Ellen:

Ex. 5 Deliberative Process (DP)

Many thanks!

Amy C. Miller
Chief of Staff and Ag Liaison
Office of Regional Administrator
U.S. Environmental Protection Agency, Region IX
(415) 947-4198
miller.amy@epa.gov